

NOVUM LEAP™

PANAMA SLIM TD

PANAMA SLIM TD

Dual-purpose Chiller/Freezer

TECHNICAL SPECIFICATIONS




NOVUM
Redefining refrigeration

WWW.NOVUM.IE


TECHNICAL SPECIFICATION

		2 Door		3 Door	
Panama Slim TD					
Technical Data		Frozen Mode	Chiller Mode	Frozen Mode	Chiller Mode
Gross content	litre	1340	1340	1930	1930
Net Content according to EN 23953	litre	1070	1070	1650	1650
Total Display Area (TDA) according to Eco-Directive	M²	1.98	1.98	2.97	2.97
Classification according to EN 23953		3L1	3M1	3L1	3M1
Ambient Temperature Range	°C	+16 to +25	+16 to +25	+16 to +25	+16 to +25
Inner Temperature Range	°C	-18 to -25	0 to +4	-18 to -25	0 to +4
Sound Pressure at 1m Distance	dB(A)	46	46	48	48
Electrical Data					
Nominal Voltage / Frequency	V / Hz	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50
Nominal Power Cabinet	w	967	967	1450	1450
Nominal Power LED Light	w	4 x 14	4 x 14	6 x 14	6 x 14
Nominal Current	A	4.0	4.0	6.3	6.3
Fuse Protection	A	13	13	13	13
Energy Consumption at 25°C	kWh/24h	13.32	7.17	19.98	10.77
Length of Power Supply Cord	mm	2000	2000	2000	2000
Refrigeration Data					
Refrigerant	Type	R290	R290	R290	R290
Gas Charge	g	2x 65	2x 65	3x 65	3x 65
Maximum Operating Pressure	bar	30	30	30	30
Maximum Heat Output	W/h	1200	1200	1800	1800
Dimensions					
Length Outside/ Inside	mm	1548 / 1393	1548 / 1393	2300 / 2150	2300 / 2150
Depth Outside/ Inside	mm	800 / 573	800 / 573	800 / 573	800 / 573
Depth of shelves	mm	507	507	507	507
Number of shelves	No.	4	4	4	4
Weight					
Net Weight (excl. packaging, incl. internal accessories)	Kg	284	284	395	395
Gross Weight (incl. packaging & internal accessories)	Kg	294	294	410	410





Panama Slim TD External Dimensions



Panama Slim TD Internal Dimensions



Panama Slim TD - 2 door




The Panama Slim TD is 20% slimmer than traditional Panama Green TD and ideal for smaller convenience stores whilst giving the retailer an extra 10% TDA when compared to the Panama Slim standard door model.



NOVUM LEAP™

PANAMA SLIM



For information on patents relating to LEAP™, please visit
<https://novum.ie/supermarket/expertise-support/patents/>

NOVUM

Redefining refrigeration

Novum (Overseas) Ltd.
The Novum Building
Clonsaugh Technology & Business Park
Dublin 17, Ireland

+353 1 803 6400
www.novum.ie

January 2026